




Just-Light

UV Packer

Jylland: Ambolten 1, 6800 Varde, Denmark
Sjælland: Herstedøstervej 25, 2620 Albertslund, Denmark
www.lrt.dk • info@lrt.dk • +45 7516 9031

 **Lauridsen** rørteknik®
Uniwater

Just-Light UV Packer



Fast and precise – the Just-Light UV Packer cures in just 10 minutes thanks to integrated UV light, while giving you full control during installation.

The Just-Light UV Packer is designed for DN100–200 mm pipes, making it ideal for patch repairs up to 285 cm. It navigates through soft 90° bends.

The light unit is available in DN100, DN150, or DN200 mm versions. If you start with a DN100 mm unit, it can later be expanded to DN150 or DN200 mm using our expansion kit.

The system is compatible with glass fibre mats or glassliners impregnated with UV resin. For optimal performance, we offer our pre-impregnated Just-PatchX glassliner – specifically developed to this system. The control unit displays curing time and power usage. When the 10 minutes curing time is complete, the UV-light switches off automatically.



Schnell und präzise – der Just-Light UV-Packer härtet dank integrierter UV-LED in nur 10 Minuten aus und bietet volle Kontrolle bei der Installation.

Der Just-Light UV Packer ist für DN100–200 mm geeignet und repariert bis zu 285 cm – auch durch weiche 90°-Bögen.

Die Lichteinheit gibt es in DN100, DN150 oder DN200 mm. Eine DN100 mm-Version lässt sich per Erweiterungsset aufrüsten.

Diese system ist kompatibel mit Glasfasermatten oder -linern, die mit UV-Harz imprägniert sind. Für optimale Ergebnisse bieten wir den vorimprägnierten Just-PatchX Glasliner an – speziell für dieses System entwickelt. Die Steuereinheit zeigt Aushärtezeit und Stromverbrauch an. Nach Abschluss der Aushärtung schaltet sich das Licht automatisch ab.



Advantages:

- Curing time: 10 minutes
- In lengths of 0.9m, 1.3m, 2.3m, and 3.1m
- Lightweight packer
- Can cure pipes from DN100-DN200mm
- Can navigate through soft 90° bends



Vorteile:

- Aushärtezeit: 10 Minuten
- In Längen von 0,9 m, 1,3 m, 2,3 m und 3,1 m
- Leichter Packer
- Für Rohrdimensionen DN100–DN200 geeignet
- Kann weiche 90°-Bögen durchfahren

Silicone bladder with reinforced ends




Timer




Light current



Control unit



Expansion kit

Just-Light	Description	Art.no.	Length	Price	Just-Light	Description	Art.no.	Price
	DN100 UV Packer with DN100 bladder Without control box and cable	0148088-100	0,88m	1.995€	Wheel rings DN150mm			
		0148134-100	1,34m	2.205€	Wheel rings DN200mm			
		0148227-100	2,27m	2.800€				
		0148314-100	3,14m	3.280€				
	DN150 UV Packer with DN150 bladder Without control box and cable	0148088-150	0,88m	2.605€				
		0148134-150	1,34m	2.835€				
		0148227-150	2,27m	3.430€				
		0148314-150	3,14m	3.905€				
	DN200 UV Packer with DN200 bladder Without control box and cable	0148088-200	0,88m	2.915€				
		0148134-200	1,34m	3.145€				
		0148227-200	2,27m	3.740€				
		0148314-200	3,14m	4.215€				
	Silicone bladders DN100mm	0148088-51	0,88m	228€				
		0148134-51	1,34m	266€				
		0148227-51	2,27m	333€				
		0148314-51	3,14m	400€				
	Silicone bladders DN150mm	0148088-83	0,88m	266€				
		0148134-83	1,34m	333€				
		0148227-83	2,27m	400€				
		0148314-83	3,14m	466€				
	Silicone bladders DN200mm	0148088-114	0,88m	333€				
		0148134-114	1,34m	400€				
		0148227-114	2,27m	466€				
		0148314-114	3,14m	535€				
	Just-Light 450 V2.0 control unit with power plug, without cable	0148010-1		2.005€				
	Just-Light 450 V2.0 control unit with power plug and 20m cable	0148010-20		2.280€				
						Just-Light cable reel wagon with 40m cable		1.240€
						without control unit		